

Safety Data Sheet
Syntho-Subsea LV™ – Part B

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Syntho-Subsea LV – Part B

Description: Corrosion control, sealant, coating and patching.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Hardener solution

Uses advised against: No information available

1.3. Details of the supplier of the safety data sheet

Supplier: NRI
3875 Fiscal Court Suite #100
Riviera Beach, FL 33404. USA.
1- 561 - 683 - 6992

E-mail address: Europe@neptuneresearch.com

1.4. Emergency telephone number: USA 800-535-5053 (only available during office hours)
Europe +48 33 488 12 85 (only available during office hours)

Section 2. Hazards identification

2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 (CLP)

Acute Toxicity / oral – Category 4
Acute Toxicity / inhalation – Category 4
Skin corrosion / irritation – Category 1B
Eye damage/ irritation – Category 1
Sensitization, skin – Category 1
STOT (RE) – Category 2

2.2 Label elements



Signal word: Danger

Hazard statements:

H302 Harmful if swallowed

H332 Harmful if inhaled

H314 Causes severe skin burns and eye damage



Safety Data Sheet Syntho-Subsea LV™ – Part B

H318 Causes serious eye damage.
 H317 May cause an allergic skin reaction.
 H373 May cause damage to organs (liver, muscles) through prolonged or repeated exposure.

Precautionary statement:

P261 – Avoid breathing mist/vapours/spray.
 P264 – Wash hands and skin contact areas thoroughly after handling.
 P272 – Contaminated clothing should not be allowed out of the work place.
 P273 – Avoid release to the environment. (ONLY IN UNMIXED STATE)
 P280 – Wear protective gloves, eye protection and face protection etc.
 P301 + P312 IF SWALLOWED: Call a Poison Center / doctor if you feel unwell.
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P305–P338+P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.
 P333 + P313 if skin irritation or rash occurs: Get medical advice/attention.
 P337 + P313 if eye irritation persists: Get medical advice/attention.
 P362 – Take off contaminated clothing and wash before reuse.
 P391 – Collect spillage.
 P501 – Dispose of contents/container through a waste management company authorized by the local government.

2.3. Other information: N/A

Section 3. Composition/ Information on Ingredients

3.1. Substances: Not Applicable

3.2. Mixtures

Component	EC No	CAS #	Weight %	EU-GHS Substance Classification	REACH Number
Methyleneoxide, polymer with benzenamine, hydrogenated	603-894-6	135108-88-2	12 – 24	Acute Tox. 4 (H302) Skin Corr. 1C(H314)	No data available
Benzyl alcohol	202-859-9	100-51-6	10 – 20	Acute Tox. 4 (H302) Acutre Tox. 4 (H332)	No data available
4,4'-Methylene biscyclohexanamine	217-168-8	1761-71-3	1 – 2	Acute Tox. 4 (H302) Skin Corr. 1B (H314) Skin Sens. 1B (H317) Eye Dam. 1 (H318) STOT RE 2 (H373)	No data available

Note: The other ingredients are not revealed by the supplier to protect confidentiality. They are not considered hazardous under the EU - OSHA Hazard Communication Standard.

Section 4. First Aid Measures



Safety Data Sheet Syntho-Subsea LV™ – Part B

4.1. Description of first-aid measures

First aid measures for accidental

General advice: In all cases of doubt or when symptoms persist seek medical attention. Never give anything by mouth to an unconscious person.

Eye Exposure: Hold eyelids apart, initiate and maintain gentle irrigation, (flushing), until the patient receives medical care. If medical care is not available maintain irrigation for 1 hour. Remove contact lenses.

Skin Exposure: Remove contaminated clothing. Wash affected skin thoroughly with soap and water. Wash contaminated clothing thoroughly before reuse. Get under safety shower after removing clothing. Seek medical attention if irritation develops after area is washed.

Inhalation: If breathing is stopped or labored give assisted respirations. Supplemental oxygen may be indicated. If heart has stopped, give cardiopulmonary resuscitation immediately. Move to fresh air.

Ingestion: Do not induce vomiting. Give one to two cups of milk or water to drink. Do not give anything by mouth to an unconscious person, consult a physician. If vomiting occurs naturally have patient lean forward to reduce the risk of aspiration.

4.2 Most important symptoms/effects, acute and delayed: Not Available.

4.3 Indication of immediate medical attention and special treatment needed: Not Available.

Section 5. Fire Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media: Carbon dioxide, foam, dry chemical, water fog.

Unsuitable extinguishing media: Water jet.

Flammability Classification: Combustible III B

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Combustion products may include, but are not limited to: phenolics, carbon dioxide, acrolein, and carbon dioxide.

5.3 Advice for firefighters: Use self-contained breathing apparatus, and full protective equipment. Use protective firefighting clothing and positive pressure self-contained breathing apparatus to protect against potential harmful and/or irritating fumes. Do not use high pressure water since this may spread the area of the fire.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Protective equipment: Use personal protective equipment (See Section 8) to prevent any contamination of skin, eyes and personal clothing.

Emergency procedures: Remove ignition sources. Provide sufficient ventilation, control dust. Evacuate personnel to safe areas.

6.1.2 For emergency responders: Use appropriate personal protective clothing. Use gloves and safety glasses.



Safety Data Sheet Syntho-Subsea LV™ – Part B

6.2 Environmental precautions: Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

6.3.1 For containment: Cover drains. Prevent contamination of soil and water.

6.3.2 For cleaning up: Stop leak without additional risk. Dike and absorb with inert absorbent material (e.g., sand, earth, vermiculite, diatomaceous earth) and collect in a suitable, closed and labeled container. Wash the spill area with water and detergent.

6.3.3 Other Information: Clear spills immediately.

6.4 Reference to other sections: See Section 12 for additional information. Dispose of in accordance with applicable local and federal environmental control regulations.

Section 7. Handling and Storage

7.1 Precautions for safe handling

Handling: Handle in accordance with good industrial hygiene and safety practice. Do not breathe vapors or spray mist. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not take internally.

Hygiene measures: When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and clothing. Wash thoroughly after handling.

7.2 Conditions for safe storage including any incompatibilities Store between 5 and 40°C in a dry well-ventilated place away from sources of heat, ignition and direct sunlight. Keep in original containers. Store in tightly closed containers to prevent moisture absorption and loss of volatiles. Store away from heat and open flame. Containers which are opened should be properly resealed and kept upright to prevent leakage. Store away from oxidizing agents and strongly alkaline and acid materials. The principles contained in general guidance for storage of packaged potentially dangerous substances should be observed when storing this product.

7.3 Specific end use(s)

Exposure scenario: No information available.

Other guidelines: No information available

Section 8. Exposure Controls / Personal Protection

8.1 Control parameters

Exposure limits: No data available

Derived no effect level: No information available.

Predicted No Effect Concentration (PNEC): No information available.

8.2 Exposure controls

8.2.1 Appropriate engineering controls: Ensure adequate ventilation, especially in confined areas.

8.2.2 Personal protective equipment

8.2.2.1 Eye and face protection: Eye protection designed to protect against liquid splashes should be worn.

8.2.2.2 Skin protection: Wear liquid-proof, chemical resistant gloves (nitrile-butyl rubber, neoprene, butyl rubber or natural rubber) and full body-covering clothing.



Safety Data Sheet Syntho-Subsea LV™ – Part B

8.2.2.3 Respiratory protection: Air fed respiratory protective equipment should be worn when sprayed if exposure of the sprayer or other people nearby cannot be controlled to below the Occupational Exposure Values and engineering methods cannot reasonably be improved.

8.3 Environmental exposure controls: Do not allow material to contaminate ground water system.

Section 9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical State:	Liquid (paste)
Appearance:	Dark green paste
Odour:	Slightly sweet characteristic of epoxy resin
Odour threshold:	No data available

<u>Property</u>	<u>Values</u>	<u>Remarks-Method</u>
pH:	No data available	None known
Melting point range:	No data available	None known
Boiling point/boiling range:	No data available	None known
Flash Point:	>219 °F (> 104 °C)	None known
Evaporation rate:	No data available	None known
Flammability (solid, gas):	No data available	None known
Upper/lower flammability or explosive limits:	No data available	None known
Vapour pressure:	No data available	None known
Vapour density (water = 1):	No data available	None known
Relative density:	1.6 kg/Lt	None known
Water Solubility:	Immiscible	None known
Partition coefficient (n-octanol/water):	No data available	None known
Auto-ignition temperature:	No data available	None known
Decomposition temperature:	No data available	None known
Viscosity:	250 – 500 Poise	None known
Explosive properties:	No data available	None known
Oxidizing properties:	No data available	None known

9.2 Other information

VOC Content (%): Essentially zero under normal conditions

Section 10. Stability and Reactivity

10.1 Reactivity: No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability: Stable under normal conditions.

10.3 Possibility of hazardous reactions: None under normal processing. Self-polymerization will not occur by itself.

10.4 Conditions to avoid: Avoid leaving large mixes of sublv curing agent with epoxy resin component unattended otherwise uncontrolled heating, (“exotherm”), may occur. Contact with acids. Caution! N-nitrosamines, many of which are potent carcinogens, may be formed when the mixture comes in contact with



Safety Data Sheet Syntho-Subsea LV™ – Part B

nitrous acid, nitrites or high concentrations of nitrous oxide. Avoid contact with acids, oxidizing agents, sodium hypochlorite.

10.5 Incompatible materials: Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of an exothermic reaction.

10.6 Hazardous decomposition products: In a fire, hazardous decomposition products such as carbon monoxide, carbon dioxide, and other unspecified products may be produced.

Section 11. Toxicological Information

11.1 Information on toxicological effects:

Acute toxicity:

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Mixture	>5,000 mg/kg (rat)	>20,000 mg/kg (rat)	-

Inhalation: May be irritant to mucous membrane.

Skin corrosion/irritation: May be irritant to skin.

Serious eye damage/irritation: Splashes in the eye may cause irritation and reversible local damage.

Sensitization: May be skin sensitizer.

Mutagenic Effects: No information available.

Carcinogenic Effects: No information available.

Reproductive Toxicity: No information available.

Developmental Toxicity: No information available.

STOT- single exposure: No information available.

STOT- repeated exposure: No information available.

Target Organ Effects: No information available.

Aspiration Hazard: No information available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available

Delayed and immediate effects and also chronic effects from short and long-term exposure:

Repeated skin contact may lead to irritation and to sensitization, possibly with cross-sensitisation to other epoxies. Skin contact with the preparation and exposure to mist and vapour should be avoided.

Symptoms related to the physical, chemical and toxicological characteristics: No data available

Delayed and immediate effects and also chronic effects from short and long term exposure:

Short term exposure: No specific data.

Long term exposure: No specific data

Section 12. Ecological Information

12.1 Toxicity: No data is available on the mixed product.

12.2 Persistence and degradability: No further relevant information available.

12.3 Bioaccumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

12.5 Results of PBT and vPvB Assessment: No further relevant information available.

12.6 Other adverse effects: No further relevant information available.

12.7 Additional information: No further relevant information available



Safety Data Sheet Syntho-Subsea LV™ – Part B

Section 13. Disposal Considerations

13.1 Waste treatment methods:

13.1.1 Product / Packaging disposal: Dispose of in accordance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes / waste designation according to LoW: According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

13.1.2 Waste treatment-relevant information: Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

13.1.3 Sewage disposal-relevant information: This product should not be allowed to enter drains, water courses or the soil.

13.1.4 Other disposal recommendations: Dispose of waste and residues in accordance with local authority requirements.

Section 14. Transport Information

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of accident or spillage

DOT / IMDG / IATA:

14.1 Proper Shipping Name:	Not regulated
14.2 UN Proper Shipping Name:	N/A
14.3 Transport hazard class:	N/A
14.4 Packing group:	N/A
14.5 Environmental hazard:	N/A
14.6 Special precaution:	N/A

Section 15. Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Title III section 311/312 (40CFR370): Acute health hazard

SARA Title III section 313 (40CFR372): No reportable components

CERCLA status (40CFR302): No reportable quantity components

TSCA inventory status: Reported/included

Canadian DSL Status: Reported/included

Chemicals known to the state of California to cause cancer or reproductive toxicity: REACH Annex XIV (SVHC): No listed components

REACH Annex XVII: No listed components

REACH status (EC 1907/2006): This material has been registered, pre-existed or is otherwise exempted from registration under the Registration, Evaluation and Authorisation of Chemical Substances.

Chemical safety assessment: Not available.



Safety Data Sheet Syntho-Subsea LV™ – Part B

The information contained in this Safety Data Sheet does not constitute the user's own assessment of the workplace risks as required by other health and safety legislation.

Section 16. Other Information

Full text of H-Statements referred to under sections 2 and 3

H315 - Causes skin irritation
H319 - Causes serious eye irritation
H317 - May cause an allergic skin reaction
H411 - Toxic to aquatic life with long lasting effects

Key Legend Information:

N/A – Not Applicable
ND – Not Determined
ACGIH – American Conference of Governmental Industrial Hygienists
OSHA – Occupational Safety and Health Administration
PEL – Permissible Exposure Limit
NIOSH – National Institute for Occupational Safety and Health

HMIS ratings: Health: 2; Flammability: 1; Reactivity: 0.

The information contained herein is based on the data available to us and is believed to be accurate. The data is offered in good faith as typical values and not as product specification. The information in this data sheet was compiled from information supplied by the vendors of the components of this compound. NRI makes no warranty either expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. The recommended industrial hygiene and safe handling procedures are believed to be genuinely applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. NRI assumes no responsibility for injury from the use of the product described herein. The information is intended only to assist in the safe handling of this material.

(R1) Revision date: 09.18.18