

Safety Data Sheet
Thermo-Poxy™ Inspectable Epoxy Base - Part A

1. Product and Company Identification

Product Name: Thermo-Poxy Inspectable Epoxy Base – Part A
Supplier: NRI 3875 Fiscal Court, Ste #100 Riviera Beach, FL 33404 (561) 683-6992
Emergency Phone Number: 800-535-5053
Product Description: Epoxy solution
Product Use: Intended to repair pipes
Chemical Name or Synonym: N/A

2. Hazards Identification

Classification of the substance or mixture:

Skin corrosion/irritation – Category 2
 Serious eye damage/eye irritation – Category 2A
 Skin sensitization - Category 1
 Hazardous to the Aquatic Environment – Long Term Hazard – Category 2

Label Elements:



Hazard Statements:

H315 Causes skin irritation.
 H319 Causes serious eye irritation
 H317 May cause an allergic skin reaction
 H411 Toxic to aquatic life with long lasting effects

Signal Word: Warning

Precautionary Statement:

P362 - Take off contaminated clothing and wash before reuse
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection
 P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
 P273 - Avoid release to the environment
 P391 - Collect spillage

3. Composition/ Information on Ingredients

Chemical Name	CAS-No	Weight %
Phenol, polymer with formaldehyde, glycidyl ether	28064-14-4	27.5 - 50.6

Safety Data Sheet
Thermo-Poxy™ Inspectable Epoxy Base - Part A

Bisphenol A - Epichlorohydrin polymer	25068-38-6	15.8-69.8
Barium sulfate	7727-43-7	2.0-17.7

4. First Aid Measures

First Aid Measures for Accidental:

General Advice: If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Remove material from skin immediately In the case of skin irritation or allergic reactions see a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Protection of First-aiders Use personal protective equipment. Avoid contact with skin, eyes and clothing

Most important symptoms/effects, acute and delayed:

Most Important Symptoms/Effects: Hives. Itching. Rashes. Eye irritation/reactions. Skin irritation

Notes to Physician: May cause sensitization of susceptible persons. Treat symptomatically

5. Fire Fighting Measures

Suitable Extinguishing Media: Water fog. Carbon dioxide (CO₂). Foam. Dry chemical.

Unsuitable Extinguishing Media: No information available.

Special hazards arising from the chemical: May cause sensitization by skin contact. Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides

Special protective equipment and precautions for fire-fighters: As in any fire, wear self-contained breathing apparatus and full protective gear.

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Avoid contact with skin, eyes and clothing. Use personal protective equipment. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

Environmental precautions: Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Avoid release to the environment.

Methods and materials for containment and cleaning up: Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water.

Safety Data Sheet
Thermo-Poxy™ Inspectable Epoxy Base - Part A

7. Handling and Storage

Precautions for safe handling: Handle in accordance with good industrial hygiene and safety practice. Do not breathe vapors or spray mist. Use only in area provided with appropriate exhaust ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not take internally.

Conditions for safe storage including any incompatibilities: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep in properly labeled containers. When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use. Provide regular cleaning of equipment, work area and clothing. Wash thoroughly after handling.

8. Exposure Controls / Personal Protection

Control Parameters (Exposure Limits):

Component	Exposure Limits		
	ACGIH-TLV	NIOSH	OSHA-PELs
Barium Sulfate	10 mg/m ³ TWA (total dust)	10 mg/m ³ TWA (total dust) 5 mg/m ³ TWA (Respirable fraction)	-

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment:

Eye Protection: Safety glasses with side-shields. Risk of contact: Tightly fitting safety goggles.

Skin and Body Protection: Impervious clothing.

Hand Protection: Impervious gloves.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Environmental Exposure Controls: Do not allow material to contaminate ground water system.

9. Physical and Chemical Properties

Physical State:	Viscous liquid
Colour:	Yellow
Odour:	No information available
Melting Point/Freezing Point:	No data available
Boiling point:	No data available
Flammability (solid, gas):	No data available
Lower and Upper Explosion limits/ Flammability Limits:	No data available
Flash Point:	No data available
Auto-ignition Temperature:	No data available
Decomposition Temperature:	No data available
pH:	No data available
Kinematic Viscosity:	~98,000 cP

Safety Data Sheet
Thermo-Poxy™ Inspectable Epoxy Base - Part A

Solubility:	No data available
Evaporation rate (ether=1):	No data available
Flammability Limits in Air:	No data available
Solubility in other solvents:	No data available
Partition coefficient (n-octanol/water):	No data available
Vapor Pressure:	No data available
Density and/or Relative Density:	No data available
Relative Vapour Density:	No data available
Particle Characteristics:	No data available

10. Stability and Reactivity

Reactivity: Not data available

Chemical Stability: Stable under standard normal conditions.

Possibility of Hazardous reactions: None under normal processing.

Conditions to Avoid: To avoid thermal decomposition, do not overheat. Incompatible products.

Incompatible Materials / Chemicals: Acids. Bases. Amines. Strong oxidizing agents.

Hazardous Decomposition Products: Phenols. Carbon monoxide (CO), carbon dioxide (CO²).

11. Toxicological Information

Information in the likely route of exposure:

Potential Acute Health Effects:

Inhalation: No known effect.

Eye Contact: Irritating to eyes. Causes serious eye irritation.

Skin Contact: Irritating to skin. Causes skin irritation. May cause allergic skin reaction

Ingestion: May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics:

Sensitization: May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Mutagenic Effects: No information available.

Carcinogenic Effects: No information available.

Reproductive Toxicity: No information available.

Developmental Toxicity: No information available.

STOT - single exposure: No information available.

STOT - repeated exposure: No information available.

Target Organ Effects: Eyes. Respiratory system.

Aspiration Hazard: No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure:

Short term exposure: No specific data.

Safety Data Sheet
Thermo-Poxy™ Inspectable Epoxy Base - Part A

Long term exposure: No specific data

Numerical measures of toxicity

Acute toxicity:

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Bisphenol A – Epichlorohydrin polymer	11,400 mg/kg (rat)	-	-

12. Ecological Information

Ecotoxicity Effects: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and degradability: No information available

Bioaccumulative potential: No information available

Mobility in soil: Absorbs on soil

Other adverse effects: No information available

13. Disposal Considerations

Waste treatment methods: Dispose of in accordance with local regulations

Uncleaned packagings: Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport Information

DOT

UN-Number: UN3082

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.

Hazard Class: 9

Packing Group: III

IATA

UN-Number: UN3082

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.

Hazard Class: 9

Packing Group: III

Note: When packed with non-DG materials Special Provision A197 applies for inner container quantities of 5L or less.

ERG Code: 9L

IMDG/IMO

UN-Number: UN3082

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.

Hazard Class: 9

Packing Group: III

Safety Data Sheet
Thermo-Poxy™ Inspectable Epoxy Base - Part A

Description: UN3082, Environmentally hazardous substance, liquid, n.o.s. (Phenol, polymer with formaldehyde, glycidyl ether, Bisphenol A - Epichlorohydrin polymer), 9, III

Marine Pollutant: Product is a marine pollutant according to the criteria set by IMDG/IMO.

Environmental hazard: Yes

Special Provisions: None.

EmS No.: F-A, S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: No information available.

RID

UN-Number: UN3082

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.

Hazard Class: 9

Packing Group: III

Description: UN3082, Environmentally hazardous substance, liquid, n.o.s. (Phenol, polymer with formaldehyde, glycidyl ether, Bisphenol A - Epichlorohydrin polymer), 9, III

Environmental hazard: Yes

Special Provisions: None.

Classification Code: M6

ADR

UN-Number: UN3082

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.

Hazard Class: 9

Packing Group: III

Description: UN3082, Environmentally hazardous substance, liquid, n.o.s. (Phenol, polymer with formaldehyde, glycidyl ether, Bisphenol A - Epichlorohydrin polymer), 9, III, (E)

Environmental hazard: Yes

Special Provisions: None.

Classification Code: M6

Tunnel Restriction Code: (E)

ICAO

UN-Number: UN3082

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.

Hazard Class: 9

Packing Group: III

Description: UN3082, Environmentally hazardous substance, liquid, n.o.s. (Phenol, polymer with formaldehyde, glycidyl ether, Bisphenol A - Epichlorohydrin polymer), 9, III

Environmental hazard: yes

Special Provisions: None.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

International Inventories:

Safety Data Sheet
Thermo-Poxy™ Inspectable Epoxy Base - Part A

TSCA	EINECS/ELINCS	DSL/NDSL	PICCS	ENCS	IECSC	AICS	KECL
-	-	-	-	-	-	-	-

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

Chemical Safety Assessment: No information available

16. Other Information

Key literature references and sources for data: www.ChemADVISOR.com/

Key Legend Information:

N/A – Not Applicable

ND – Not Determined

OSHA – Occupational Safety and Health Administration

NIOSH – National Institute for Occupational Safety and Health

This safety data sheet complies with the requirements of Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No. 1907/2006.

The information contained herein is based on the data available to us and is believed to be accurate. The data is offered in good faith as typical values and not as product specification. The information in this data sheet was compiled from information supplied by the vendors of the components of this compound. NRI makes no warranty either expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. The recommended industrial hygiene and safe handling procedures are believed to be genuinely applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. NRI assumes no responsibility for injury from the use of the product described herein. The information is intended only to assist in the safe handling of this material.

Rev04 08/25/2017